



122, 123, 133, 144 122,

123, 133,

144 122, 123, 133, 144 122, 123,

133, 144

EN 14683 - Annex C (*)

ANALYSIS REPORT

| Parameters | Unit | Finding | Tip I | Tip II | Tip IIR | LR Source | Method | Informa on | |
|-------------------------------------|-----------------------|--------------------------|-----------------|------------------|----------------|----------------|--------|---------------|--|
| Following analysis results were obt | ained from the | specimen whi | ich was delive | ered by cargo to | çevre Labor | atory | | | |
| Analysis Completion Time | : 17 | 7/12/2021 | | | | | | | |
| Analysis Beginning Time | : 10/12/2021 11:30:00 | | | | | | | | |
| Sample Receiving Time | : 10/12/2021 11:15:00 | | | | | | | | |
| Supplier Number | : - | | | | | | | | |
| Product No | : - | | | | | | | | |
| Producer Company | : - | | | | | | | | |
| Expire Date | :- | | | | | | | | |
| Packing Date | : - | | | | | | | | |
| Production Date | : - | | | | | | | | |
| Sample Lot No. | : - | | | | | | | | |
| Sampling Date | : - | | | | | | | | |
| Sampling Method | : - | | | | | | | | |
| | • • | | | | | | | | |
| Sampling Point | :- | io pieces | | | | | | | |
| Sample Package Sample Amount | | oly packing 10 pieces | | | | | | | |
| Comple Deckers | - D | | | | | | | | |
| Sample | : Fa | ace Mask Tie | e-on Surgical I | Face-masks Ty | pe IIR | | | | |
| Address | : Jo | ordan, Amman | 3rd Circle, G | rand Complex | Building No: 1 | 4 Amman/Jordan | | | |
| Applicant | : IN | | 12-21 | | | | | | |
| | | | | | | | | | |

e-signed Sevinç ÖCAL Assistant Laboratory Responsible of Microbiology Laboratory

Pa/cm²

Pa/cm²

Pa/cm²

Pa/cm²

47,96

47,01

48,91

46,46

< 40

< 40

< 40

< 40

< 40

< 40

< 40

< 40

< 60

< 60

< 60

< 60

97

97

97

97

DP - 1

DP - 2

DP - 3

DP - 4

e-signed Approved by 20/12/2021 Ömer Yasin BALIK Laboratory Manager



ANALYSIS REPORT

| Report No. : 2138642E Report Date : 20/12/20 |
|--|
|--|

AB-0363-T 2138642E 12-21

Following analysis results were obtained from the specimen which was delivered by cargo to Çevre Laboratory

| Parameters | Unit Pa/cm² | Finding 46,53 | Tip I < 40 | Tip II < 40 | Tip IIR < 60 | LR Source | Method EN 14683 - Annex C | Informat on | |
|------------------------------------|----------------|-------------------------|----------------------|-----------------------|------------------------|-----------|------------------------------|----------------|-----------------------------|
| DP - 5 | | | | | | | | (*) | 122, 123, 133, 144 |
| Splash Resistance Pressure | | | | | | | | | |
| Splash Resistance Pressure | kPa | 16 | - | - | ≥16 | 97 | ISO 22609 | (*) | 122, 142, 146, 147 |
| Number of Masks Analyzed | - | 32 | - | - | - | - | - | (*) | |
| Number of Passed Masks Analyzed | - | 32 | - | - | - | - | - | (*) | |
| Analyzed Mask Surface | - | Outside | - | - | - | - | - | (*) | |
| Point of Analysis | - | Midpoint | - | - | - | - | - | (*) | |
| Bacterial Filtration Efficiency | | | | | | | | | |
| BFE - 1 | % | >99,9 | ≥95 | ≥98 | ≥98 | 97 | EN 14683 - Annex B | (*) | 124, 129 |
| BFE - 2 | % | >99,9 | ≥95 | ≥98 | ≥98 | 97 | EN 14683 - Annex B | (*) | 124, 129 |
| BFE - 3 | % | >99,9 | ≥95 | ≥98 | ≥98 | 97 | EN 14683 - Annex B | (*) | 124, 129 |
| BFE - 4 | % | >99,9 | ≥95 | ≥98 | ≥98 | 97 | EN 14683 - Annex B | (*) | 124 129 |
| BFE - 5 | % | >99,9 | ≥95 | ≥98 | ≥98 | 97 | EN 14683 - Annex B | (*) | 124 129 |
| Mean Positive Control Count | cfu | 1834 | - | - | - | - | EN 14683 - Annex B | (*) | |
| Negative Control Count | cfu | <1 | - | - | - | - | EN 14683 - Annex B | (*) | |
| Mean Particle Size (MPS) | μm | 2,9 | - | - | - | - | EN 14683 - Annex B | (*) | |
| Microbial Limit - Bioburden | | | | | | | | | |
| Bioburden - 1 | cfu/g | <3 | ≤30 | ≤30 | ≤30 | 97 | ISO 11737-1 | (*) | 120 131 |
| Bioburden - 2 | cfu/g | 3 | ≤30 | ≤30 | ≤30 | 97 | ISO 11737-1 | (*) | 120 131 |
| Bioburden - 3 | cfu/g | <3 | ≤30 | ≤30 | ≤30 | 97 | ISO 11737-1 | (*) | 120 131 |
| Bioburden - 4 | cfu/g | 4 | ≤30 | ≤30 | ≤30 | 97 | ISO 11737-1 | (*) | 120 131 |
| Bioburden - 5 | cfu/g | <3 | ≤30 | ≤30 | ≤30 | 97 | ISO 11737-1 | (*) | 120 131 |

Source of Limit Ranges :97 Medikal Yüz Maskelerinin Test Metodları ve Performans Gereksinimleri (EN 14683)

Method

ISO : International Organization for Standardization EN : European Standard

ISO : International Organization for Standardization

e-signed Sevinç ÖCAL Assistant Laboratory Responsible of Microbiology Laboratory e-signed Approved by 20/12/2021 Ömer Yasin BALIK Laboratory Manager




ANALYSIS REPORT

Report No. : 2138642E

Report Date : 20/12/2021

ISO : International Organization for Standardization



1. Çevre End. Analiz Lab. Hiz. Tic. A. . accredited by TÜRKAK under registration number [AB-0363-T] for [TS EN ISO/IEC 17025] as test laboratory". Turkish Accreditation Agency (TURKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports.

2. When a conformity assessment is requested, legal regulations, standards or the decision rule agreed with the customer are applied by us after a risk assessment and the application method is specified in the information section of the report. The Simple Decision Rule applies where conformity assessment is requested without taking into account the measurement uncertainty. 3. Uncertainties stated in the report are expanded uncertainty (k=2, 95%). Total Uncertainty of Measurement includes the uncertainty from sampling. It is valid when the

Uncertainties stated in the report are expanded uncertainty (n=1,000), the state of the state by us.
The definitional information included in the analysis report and affecting the validity of the results has been declared by the customer. Our laboratory is not responsible for any losses/legal obligations that may occur due to the accuracy and use of this information.
Analysis report covers samples/sampling that comes to the laboratory.
The report and results don't not be copied and printed partially or completely without permission of Cevre Industrial Analysis Laboratory for any commercial and effectives.

This report shall not be used for legal/administrative procedures and advertising purposes.
The test report without sign is not valid.

9. (*) This parameter is covered by our accreditation scope.

End of Report

e-signed Sevinç ÖCAL Assistant Laboratory Responsible of **Microbiology Laboratory**

e-signed Approved by 20/12/2021 Ömer Yasin BALIK Laboratory Manager AB-0363-T

2138642F

12-21